

MKP person responsible:	Colin Giger
Serie-Verantwortlicher:	Building Interior: Colin Giger Automotive: Colin Giger Aerospace: Colin Giger
Status:	Ok
Approval:	15.12.2020

Classification	Public series
Product type:	Coated abrasives
Main industries:	Automotive Aerospace Building Interior
Further industries:	Trucks Rail Marine Bus Wind Power Kitchens

Product profile		
Grit type:	Mixed grit with ceramic content Semi-friable aluminium oxide / blue-fired	40 – 80 P100 – P600
Grit range (total):	40; 60-600	P100 – P600 FEPA P / ISO 6344
Backing:	Paper	
Coating:	Electrostatic	40 - P180
	Electrostatic open	P220 — P600
bonding:	Resin over resin	
Special coating:	Stearate	from 80
Equipment:		

Properties		Technology
Removal rate:	10 - very high	- Offene Streuung
Lifetime:	10 - very long	- siafast
Finishing:	7 - good	- siasoft
Flexibility:	7 - flexible	
Contact pressure:		

Advantages		
Building Interior:	 - A versatile all-round product - High performance for stock removal - Longest lifetime - Minimal clogging thanks to open coating in 220 - 600 grit range 	

22. Januar 2021 Page 1 from 4



Advantages	Advantages		
Automotive:	 Very high abrasive performance with a good finish Performance-enhancing grit mix with ceramic corundum in 40 - 80 grit range Minimal clogging thanks to open coating in 220 - 600 grit range Extremely long lifetime Lower abrasive consumption Versatile all-round product with an attractive range of options 		
Aerospace:	 High-performance abrasives High performance for stock removal Longest lifetime A versatile all-round product Lower abrasive consumption Homogeneous sanding finish 		

Applications		
Building Interior:	- Sanding out uneven areas such as scratches or marks	
Automotive:	 Sanding off coatings and impurities Sanding out unevenness at the edges of repaired surfaces Flatting bodyfiller and composite materials Fine sanding primer filler Keying old and new lacquers 	
Aerospace:	 Keying polyesters and composites Sanding out feather edges, flash rust and stone chips Shaping of bodyfillers and primer fillers Keying new components and factory primers Sanding off of old varnish Producing a matt finish on old and new lacquers for blending Flatting bodyfiller and primer filler 	

Material			
Building Interior:		Plastics	
	Dry wall lining boards	 Dry wall lining boards 	
	Lacquers	Paints	
	Mineral materials	 Solid surface material 	
	Plaster	 Plaster 	
	Primer filler	Primer filler	
	Putty	Putty	
	Wood	Hardwood	
	Wood	Softwood	
	Wood	Resinous wood	

22. Januar 2021 Page 2 from 4



Material		
Automotive:	Composites	 Glass-fibre reinforced plastic (GRP)
	Gelcoats	 Gelcoat polyester
	Lacquers	Paints
	Lacquers	 Old lacquer
	Paints	Colour
	Plastics	Plastics
	Plastics	 Acrylic glas
	Primer filler	Primer filler
	Primers	Primer coat
	Primers	Epoxy primer coat
	Primers	 Cathodic dip primer coat
	Putty	Putty
Aerospace:		• Colour
		Primer filler
		 Old lacquer
	Acrylic glass (Plexiglass)	 Acrylic glas
	Composites	 Glass-fibre reinforced plastic (GRP)
	Gelcoats	 Gelcoat polyester
	Lacquers	Paints
	Plastics	Plastics
	Primers	Primer coat
	Primers	Epoxy primer coat
	Primers	 Cathodic dip primer coat
	Putty	Putty

Conversion forms	Upper conversion	Lower conversion
	Rolls	jumbolinoPaper rollssiafast rollssiasoft rolls
	Strips	- siafast strips - siasoft strips
	Delta and polygons	- Delta and polygons
	Discs	Daisy discssiafast discssiasoft discsVarious discs

Application	Superordinate group	Subgroup
	Portable machine sanding	random orbital sander
	Portable machine sanding	Orbital sander

22. Januar 2021 Page 3 from 4



Application	Superordinate group	Subgroup
	Portable machine sanding	Delta sander
	Manual sanding	Manual sanding
	Manual sanding	hand sanding with sanding block
	Stationary machine sanding	Rolls
cut:	Dry applications	

Details				
No suitability for:	- glass sanding - Wet sanding - stone grinding			
Sanding recommendation:				
Safety recommendation:	 Pay attention to the abrasives safety data sheet (available from sia Abrasives) Follow the general FEPA safety recommendations Use eye and face protection Use an effective dust extraction unit or wear a fine dust mask 			

Communication				
Claim:	For a perfect finish at full speed			
Сору:	The versatile all-round product 1950 siaspeed is specially designed for high stock removal rates, perfect surface quality and long life in applications such as the surface treatment of body filler, primer filler, lacquers and paints.			
Image material:	Product Top View (PTV)	Front side: Rear side:	ID ID	
	Application image	Building Interior: Automotive: Aerospace:	ID 342 ID 8855 ID 9271	
	Product show:			
	Macro shot:			
	Packaging image:			
	Product group image:		ID 1656	

Main applicationSecondary application

22. Januar 2021 Page 4 from 4